

**RECEIVED
CENTRAL FAX CENTER
MAR 05 2009**

Application Number: 10/573,052
Examiner: HAVLIN, ROBERT H

IN THE CLAIMS

Please amend the claims of the present application under the provisions of 37 C.F.R. §1.121(c), as indicated below:

1. (Cancelled):

2. (Previously presented): The derivatives according to claim 17, characterized in that the compound having formula (I) are present as tautomeric forms, pure or as blends of tautomeric forms, in any proportion whatsoever

3-12 (Cancelled):

13. (Currently amended): Herbicidal compositions containing, one or more compounds having general formula (I):

wherein A, B and R have the meanings according to claim ~~[[18]]~~ 17, possibly also as a blend of tautomers .

14. (Currently amended): The herbicidal compositions according to claim 13, including other herbicides, fungicides, insecticides, acaricides, fertilizers, compatible with the compounds having general formula (I).

15. (Original): The herbicidal compositions according to claim 14, characterized in that the additional herbicides are selected from:
acetochlor, acifluorfen, acetonifene, AKH-7088, alachlor, alloxydim, amctryn,
amcarbazone, amidosulfuron, amitrole, anilofos, asulam, atrazine, azafenidin,

Application Number: 10/573,052

Examiner: HAVLIN, ROBERT H

azimsulfuron, aziprotryne, BAS 670 H, BAY MKH 6561, beflubutamid, benazolin, benfluralin, benfuresate, bensulfuron, bensulide, bentazone, benzfendizone, benzobicyclon, benzofenap, benzthiazuron, bifenox, bilanafos, bispyribac-sodium, bromacil, bromobutide, bromofenoxim, bromoxynil, butachlor, butafenacil, butamifos, butenachlor, butralin, butroxydim, butylate, cafenstrole, carbetamide, carfentrazone-ethyl, chlomethoxyfen, chloramben, chlorbromuron, chlorbufam, chlortlurenol, chloridazon, chlorimuron, chlormitrofen, chlorotoluron, chloroxuron, chlorpropham, chlorsulfuron, chlorthal, chlorthiamid, cinidon ethyl, cinmethylin, cinosulfuron, clethodim, clodinafop, clomazone, clomeprop, clopyralid, cloransulam-methyl, cumyluron (JC-940), cyanazine, cycloate, cyclosulfamuron, cycloxydim, cyhalofop-butyl, 2,4-D, 2,4-DB, daimuron, dalapon, desmedipham, desmetryn, dicamba, dichlobenil, dichlorprop, dichlorprop-P, diclofop, diclosulam, diethatyl, difenoxuron, difenzoquat, diflufenican, diflufenzopyr, dimefuron, dimepiperate, dimethachlor, dimethametryn, dimethenamid, dinitramine, dinosseb, dinoseb acetate, dinoterb, diphenamid, dipropetryn, diquat, dithiopyr, 1-diuron, cglinazine, endothal, EPTC, esprocarb, ethalfluralin, ethametsulfuron-methyl, ethidimuron, ethiozin (SMY 1500), ethofumesate, ethoxyfen-ethyl (HC-252), ethoxysulfuron, etobenzanid (HW 52), fenoxaprop, fenoxaprop-P, fentrazamide, fenuron, flamprop, flamprop-M, flazasulfuron, florasulam, fluazifop, fluazifop-P, fluazolate (JV 485), flucarbazone-sodium, fluchloralin, flufenacet, flufenpyr ethyl, flumetsulam, flumiclorac-pentyl, flumioxazin, flumipropin, fluometuron, fluoroglyphofen, fluoronitrofen, flupoxam, fluproanate, flupyrsulfuron, flurenol, fluridone, flurochloridone, fluroxypyr, flurtamone, fluthiacet-methyl, fomesafen, foramsulfuron, fosamine, furyloxyfen, glufosinate, glyphosate, halosulfuron-methyl, haloxyfop, haloxyfop-P-methyl, hexazinone, imazamethabenz, imazamox, imazapic, imazapyr, imazaquin, imazethapyr, imazosulfuron, indanofan, iodosulfuron, ioxynil, isopropalin, isoproturon, isouron, isoxaben, isoxachlortole, isoxaflutole, isoxapyrifop, KPP-421, lactofen, lenacil, linuron, LS830556, MCPA, MCPA-thioethyl, MCPB, mecoprop, mecoprop-P, mefenacet, mesosulfuron, mesotrione, metamitron, metazachlor,

Application Number: 10/573,052
Examiner: HAVLIN, ROBERT H

methabenzthiazuron, methazole, methoprotrotryne, methylodymron, metobenzuron, metobromuron, metolachlor, S-metolachlor, metosulam, metoxuron, metribuzin, metsulfuron, molinate, monalide, monolinuron, naproanilide, napropamide, naptalam, NC-330, neburon, nicosulfuron, nipyraclufen, norflurazon, orbencarb, oryzalin, oxadiargyl, oxadiazon, oxasulfuron, oxaziclomefone, oxyfluorfen, paraquat, pebulate, pendimethalin, penoxsulam, pentanochlor, pentoxazone, pethoxamid, phenmedipham, picloram, picolinafen, piperophos, pretilachlor, primisulfuron, prodiamine, profluzol, proglinazine, prometon, prometryne, propachlor, propanil, propaquizafop, propazine, propham, propisochlor, propyzamide, prosulfocarb, prosulfuron, pyraclostrobin, pyraflufen-ethyl, pyrazogyl (HAS-961), pyrazolynate, pyrazosulfuron, pyrazoxyfen, pyribenzoxim, pyributicarb, pyridafol, pyridate, pyriftalid, pyriminobac-methyl, pyriothionac-sodium, quinclorac, quinnamerac, quizalofop, quizalofop-P, rimsulfuron, sethoxydim, siduron, simazine, simetryn, sulcotrione, sulfentrazone, sulfometuron-methyl, sulfosulfuron, 2,3,6-TBA, TCA-sodium, tebutam, tebuthiuron, tepraloxym, terbacil, terbutylazine, terbutryn, thenylchlor, thiazafluron, thiazopyr, thidiazimin, thifensulfuron-methyl, thiobencarb, tiocarbazil, tioclorim, tralkoxydim, tri-allate, triasulfuron, triaziflam, tribenuron, triclopyr, trietazine, trifloxysulfuron, trifluralin, triflusulfuron-methyl, tritosulfuron, UBI-C4874, vernolate.

16. (Original): The compositions according to any of the claims 13-15, characterized in that the concentration of active substance ranges from 1 to 90%.

17. (Currently amended): Derivatives of 1,3-diones having general formula (I):

(I)

Application Number: 10/573,052
 Examiner: HAVLIN, ROBERT H

wherein:

-A represents:

an aryl group optionally substituted by one or more substituents selected from halogen; NO₂; CN; CHO; OH; linear or branched C₁-C₆ alkyl; linear or branched C₁-C₆ haloalkyl; linear or branched C₁-C₆ alkoxy; linear or branched C₁-C₆ haloalkoxy; C₁-C₆ cyanoalkyl; C₂-C₆ alkoxyalkyl; C₂-C₆ alkylthioalkyl; C₂-C₆ alkylsulfinylalkyl; C₂-C₆ alkylsulfonylalkyl; C₂-C₆ haloalkoxyalkyl; C₂-C₆ haloalkylthioalkyl; C₂-C₆ haloalkylsulfinylalkyl; C₂-C₆ haloalkylsulfonylalkyl; C₂-C₆ alkoxyalkoxy or C₂-C₆ haloalkoxyalkoxy optionally substituted with a group selected from C₁-C₄ alkoxy or C₁-C₄ haloalkoxy; C₂-C₆ alkylthioalkoxy; C₂-C₆ haloalkylthioalkoxy; C₃-C₁₂ dialkoxyalkyl; C₃-C₁₂ dialkylthioalkyl; C₃-C₁₂ dialkylthioalkoxy; C₃-C₁₂ dialkoxyalkoxy; C₂-C₆ haloalkoxyhaloalkoxy; C₃-C₁₀ alkoxyalkoxyalkyl; C₂-C₆ alkenyl; C₂-C₆ haloalkenyl; C₂-C₆ alkenyloxy; C₂-C₆ haloalkenyloxy; C₃-C₈ alkenyloxyalkoxy; C₃-C₈ haloalkenyloxyalkoxy; C₂-C₆ alkynyl; C₂-C₆ haloalkynyl; C₂-C₆ alkynyloxy; C₂-C₆ haloalkynyloxy; C₃-C₈ alkynyloxyalkoxy; C₃-C₈ haloalkynyloxyalkoxy; C₃-C₁₂ acylaminoalkoxy; C₂-C₈ alkoxyiminoalkyl; C₂-C₈ haloalkoxyiminoalkyl; C₃-C₈ alkenyloxyiminoalkyl; C₃-C₈ haloalkenyloxyiminoalkyl; C₃-C₈ alkynyloxyiminoalkyl; C₃-C₈ haloalkynyloxyiminoalkyl; C₅-C₁₀ alkoxyalkynyloxy; C₆-C₁₂ cycloalkylideneiminoalkoxyalkyl; C₆-C₁₂ dialkylideneiminoalkoxyalkyl; —S(O)_mR₁; —OS(O)_nR₁; —SO₂NR₂R₃; —CO₂R₄; —COR₅; —CONR₆R₇; —CSNR₈R₉; —NR₁₀R₁₁; —NR₁₂COR₁₃; —NR₁₄CO₂R₁₅; —NR₁₆CONR₁₇R₁₈; —PO(R₁₉)₂; -Q; -ZQ₁; —(CR₂₀R₂₁)_pQ₂; -Z(CR₂₂R₂₃)_pQ₃; —(CR₂₄R₂₅)_pZQ₄; —(CR₂₆R₂₇)_pZ(CR₂₈R₂₉)_qQ₅; —(CR₃₀R₃₁)_pZ(CR₃₂R₃₃)_qZ₁Q₆; -Z₂(CR₃₄R₃₅)_p(C=Y)T; -Z₃(CR₃₆R₃₇)_v(CR₃₈R₃₉=CR₄₀R₄₁)(C=Y)T;

or it represents a heterocyclic group selected from pyridyl; pyrimidyl; quinoliny; pyrazolyl; thiazolyl; oxazolyl; thienyl; furyl; benzothienyl; dihydrobenzothienyl;

Application Number: 10/573,052

Examiner: HAVLIN, ROBERT H

benzofuranyl; dihydrobenzofuranyl; benzoxazolyl; benzoxazolonyl; benzothiazolyl;
 benzothiazolonyl; benzoimidazolyl; benzoimidazolonyl; benzotriazolyl;
 chromanonyl; chromanyl; thiochromanonyl; thiochromanyl;
 3a,4-dihydro-3H-indeno[1,2-c]isoxazolyl, 3a,4-dihydro-3H-chromeno[4,3-
 c]isoxazolyl, 5,5-dioxide-3a,4-dihydro-3H-thiochromeno[4,3-c]isoxazolyl, 2,3,3a,4-
 tetrahydrochromeno[4,3-c]pyrazolyl, 6,6-dioxide-2,3-dihydro-5H-[1,4]dithiino[2,3-
 c]thiochromenyl, 5,5-dioxide-2,3,3a,4-tetrahydrothiochromeno[4,3-c]pyrazolyl, 1',1'-
 dioxide-2',3'-dihydrospiro[1,3-dioxolano-2,4'-thiochromen]-yl, 1,1,4,4-tetraoxide-2,3-
 dihydro-1,4-benzodithiin-6-yl, 4,4-dioxide-2,3-dihydro-1,4-benzoxathiin-7-yl, 1,1-
 dioxide-3-oxo-2,3-dihydro-1,2-benzisothiazol-5-yl, 4-(alkoxyimino)-1,1-dioxide-
 3,4-dihydro-2H-thiochromen-6-yl, 1,1-dioxide-4-oxo-3,4-dihydro-2H-thiochromen-6-
 yl, 2,3-dihydro-1,4-benzoxathiin-7-yl, with said heterocyclic groups optionally
 substituted by one or more substituents selected from halogen; NO₂; CN; CHO; OH;
 linear or branched C₁-C₆ alkyl; linear or branched C₁-C₆ haloalkyl; linear or branched
 C₁-C₆ alkoxy; linear or branched C₁-C₆ haloalkoxy; C₁-C₆ cyanoalkyl; C₂-C₆
 alkoxyalkyl; C₂-C₆ alkylthioalkyl; C₂-C₆ alkyl sulfinylalkyl; C₂-C₆ alkylsulfonylalkyl;
 C₂-C₆ haloalkoxyalkyl; C₂-C₆ haloalkylthioalkyl; C₂-C₆ haloalkylsulfinylalkyl; C₂-C₆
 haloalkylsulfonylalkyl; C₂-C₆ alkoxyalkoxy or C₂-C₆ haloalkoxyalkoxy optionally
 substituted with a group selected from C₁-C₄ alkoxy or C₁-C₄ haloalkoxy; C₂-C₆
 alkylthioalkoxy; C₂-C₆ haloalkylthioalkoxy; C₃-C₁₂ dialkoxyalkyl; C₃-C₁₂
 dialkylthioalkyl; C₃-C₁₂ dialkylthioalkoxy; C₃-C₁₂ dialkoxyalkoxy; C₂-C₆
 haloalkoxyhaloalkoxy; C₃-C₁₀ alkoxyalkoxyalkyl; C₂-C₆ alkenyl; C₂-C₆ haloalkenyl;
 C₂-C₆ alkenyloxy; C₂-C₆ haloalkenyloxy; C₃-C₈ alkenyloxyalkoxy; C₃-C₈
 haloalkenyloxyalkoxy; C₂-C₆ alkynyl; C₂-C₆ haloalkynyl; C₂-C₆ alkynyloxy; C₂-C₆
 haloalkynyloxy; C₃-C₈ alkynyloxyalkoxy; C₃-C₈ haloalkynyloxyalkoxy; C₃-C₁₂
 acylaminoalkoxy; C₂-C₈ alkoxyiminoalkyl; C₂-C₈ haloalkoxyiminoalkyl; C₃-C₈
 alkenyloxyiminoalkyl; C₃-C₈ haloalkenyloxyiminoalkyl; C₃-C₈ alkynyloxyiminoalkyl;
 C₃-C₈ haloalkynyloxyiminoalkyl; C₅-C₃₀ alkoxyalkynyloxy; C₆-C₁₂ cycloalkyl
 ideneiminoalkoxy; C₆-C₁₂ dialkylideneiminoalkoxy; --S(O)_mR₁; --OS(O)_nR₁; --

Application Number: 10/573,052

Examiner: HAVLIN, ROBERT H

$\text{SO}_2\text{NR}_2\text{R}_3$; $-\text{CO}_2\text{R}_4$; $-\text{COR}_5$; $-\text{CONR}_6\text{R}_7$; $-\text{CSNR}_8\text{R}_9$; $-\text{NR}_{10}\text{R}_{11}$; $-\text{NR}_{12}\text{COR}_{13}$; $-\text{NR}_{14}\text{CO}_2\text{R}_{15}$; $-\text{NR}_{16}\text{CONR}_{17}\text{R}_{18}$; $-\text{PO}(\text{R}_{19})_2$; $-\text{Q}$; $-\text{ZQ}_1$; $-(\text{CR}_{20}\text{R}_{21})_p\text{Q}_2$; $-\text{Z}(\text{CR}_{22}\text{R}_{23})_p\text{Q}_3$; $-(\text{CR}_{24}\text{R}_{25})_p\text{ZQ}_4$; $-(\text{CR}_{26}\text{R}_{27})_p\text{Z}(\text{CR}_{29}\text{R}_{29})_q\text{Q}_5$; $-(\text{CR}_{30}\text{R}_{31})_p\text{Z}(\text{CR}_{32}\text{R}_{33})_q\text{Z}_1\text{Q}_6$; $-\text{Z}_2(\text{CR}_{34}\text{R}_{35})_p(\text{C}=\text{Y})\text{T}$; $-\text{Z}_3(\text{CR}_{36}\text{R}_{37})$; $(\text{CR}_{38}\text{R}_{39}=\text{CR}_{40}\text{R}_{41})(\text{C}=\text{Y})\text{T}$;

-B represents a $\text{D}-(\text{R}_v)_n$ group;

-R represents a hydrogen atom; a linear or branched C_1 - C_6 alkyl group; a linear or branched C_1 - C_6 haloalkyl group; a C_3 - C_6 cycloalkyl or C_4 - C_{12} cyclo-alkylalkyl group optionally substituted with halogen atoms or C_1 - C_6 alkyl or C_1 - C_6 thioalkyl or C_1 - C_6 alkoxy or C_2 - C_6 alkoxycarbonyl groups; C_2 - C_6 alkenyl groups; C_2 - C_6 alkynyl groups; the latter two groups; in turn; optionally substituted with halogen atoms; a C_5 - C_6 cycloalkenyl group optionally substituted with halogen atoms or C_1 - C_6 alkyl groups; an aryl or arylalkyl group optionally substituted;

- R_1 and R_{19} represent a C_1 - C_6 alkyl group or a C_1 - C_6 haloalkyl group; a C_3 - C_6 cycloalkyl group; an aryl group optionally substituted by one or more substituents selected from halogen, NO_2 , CN , CHO , linear or branched C_1 - C_6 alkyl, linear or branched C_1 - C_6 haloalkyl, linear or branched C_1 - C_6 alkoxy, linear or branched C_3 - C_6 haloalkoxy, C_1 - C_6 alkylsulfonyl, C_2 - C_6 alkoxycarbonyl;

-m is equal to 0, 1 or 2;

-t is equal to 1 or 2;

- R_2 , R_3 , R_6 , R_7 , R_8 , R_9 , R_{10} , R_{11} , R_{17} and R_{18} , the same or different, represent a hydrogen atom; a linear or branched C_1 - C_6 alkyl group in turn optionally substituted with halogen atoms; a C_1 - C_6 alkoxy group; a C_3 - C_6 cycloalkyl group; an arylalkyl

Application Number: 10/573,052
Examiner: HAVLIN, ROBERT H

group or an aryl group; said arylalkyl and aryl groups also optionally substituted by one or more substituents selected from halogen, NO₂, CN, CHO, linear or branched C₁-C₆ alkyl, linear or branched C₁-C₆ haloalkyl, linear or branched C₁-C₆ alkoxy, linear or branched C₁-C₆ haloalkoxy, C₁-C₆ alkylsulfonyl, C₂-C₆ alkoxy-carbonyl, or, together with the group bonded to the same N atom, they jointly represent a C₂-C₅ alkylene group;

-R₄, R₅ and R₄₂ represent a hydrogen atom; a linear or branched C₁-C₆ alkyl group in turn optionally substituted with halogen atoms; a C₃-C₆ alkenyl group in turn optionally substituted with halogen atoms; a Q₇ group, an arylalkyl group optionally substituted by one or more substituents selected from halogen, NO₂, CN, CHO, linear or branched C₁-C₆ alkyl, linear or branched C₁-C₆ haloalkyl, linear or branched C₁-C₆ alkoxy, linear or branched C₁-C₆ haloalkoxy, C₁-C₆ alkylsulfonyl, C₂-C₆ alkoxy-carbonyl;

-R₁₂, R₁₄ and R₁₆ represent a hydrogen atom; a linear or branched C₁-C₆ alkyl group in turn optionally substituted with halogen atoms; a C₃-C₆ cycloalkyl group; a C₁-C₆ alkoxy group; a C₁-C₆ haloalkoxy group;

-R₁₃ and R₁₅ represent a hydrogen atom; a linear or branched C₁-C₆ alkyl group in turn optionally substituted with halogen atoms; a C₃-C₆ alkenyl group in turn optionally substituted with halogen atoms; a Q₇, NH₂, NHCN, NHNH₂, NHOH group, an arylalkyl group optionally substituted by one or more substituents selected from halogen, NO₂, CN, CHO, linear or branched C₃-C₆ alkyl, linear or branched C₁-C₆ haloalkyl, linear or branched C₁-C₆ alkoxy, linear or branched C₁-C₆ haloalkoxy, C₁-C₆ alkylsulfonyl, C₂-C₆ alkoxy-carbonyl;

R₂₀, R₂₁, R₂₂, R₂₃, R₂₄, R₂₅, R₂₆, R₂₇, R₂₈, R₂₉, R₃₀, R₃₁, R₃₂, R₃₃, R₃₄, R₃₅, R₃₆, R₃₇, R₃₈, R₃₉, R₄₀ and R₄₁, the same or different, represent: a hydrogen atom; a linear or

Application Number: 10/573,052
Examiner: HAVLIN, ROBERT H

branched C₁-C₆ alkyl group in turn optionally substituted with halogen atoms; a C₁-C₆ alkoxy group; or the two groups attached to the same carbon atom can be joined to each other by C₂-C₅ alkylene groups, the alkylene groups can in turn be substituted with C₁-C₃ alkyl groups;

-Q₁, Q₂, Q₃, Q₄, Q₅, Q₆ and Q₇ represent an aryl group; a C₃-C₆ cycloalkyl group; a C₅-C₆ cycloalkenyl group; a heterocyclic group selected from triazolyl; triazolonyl; pyrazolyl; imidazolyl; imidazolidinonyl; tetrazolyl; tetrazolonyl; isoxazolyl; furyl; thienyl; pyrrolyl; pyrrolidinyl; pyrrolidinonyl; pyridyl; pyrimidinyl; pyrimidinonyl; pyrazinyl; pyridazinyl; oxazolyl; thiazolyl; oxadiazolyl; thiadiazolyl; isothiazolyl; benzoxazolyl; benzothiazolyl; isoxazolonyl; 1,3-dioxanyl; 1,4-dioxanyl; 1,3-dioxolanyl; tetrahydropyranyl; oxethanyl; oxyranyl; thiazolidinyl; oxazolidinyl; piperidinyl; piperidinonyl; piperazinyl; morpholinyl; thiazinyl; tetrahydrofuranyl; dioxazolyl; tetrahydrofuroisoxazolyl; 2-oxa-3-azabicyclo[3.1.0]hex-3-enyl; said groups optionally substituted by one or more substituents selected from halogen; NO₂; OH; CN; CHO; linear or branched C₁-C₆ alkyl; linear or branched C₁-C₆ haloalkyl; linear or branched C₁-C₆ alkoxy; linear or branched C₁-C₆ haloalkoxy; C₁-C₆ cyanoalkyl; C₂-C₆ alkoxyalkyl; C₂-C₆ alkylthioalkyl; C₂-C₆ alkylsulfinylalkyl; C₂-C₆ alkylsulfonylalkyl; C₂-C₆ haloalkoxyalkyl; C₂-C₆ haloalkylthioalkyl; C₂-C₆ haloalkylsulfinylalkyl; C₂-C₆ haloalkylsulfonylalkyl; C₂-C₆ alkoxyalkoxy or C₂-C₆ haloalkoxyalkoxy optionally substituted with a group selected from C₁-C₄ alkoxy or C₁-C₄ haloalkoxy; C₂-C₆ alkylthioalkoxy; C₂-C₆ haloalkylthioalkoxy; C₃-C₁₂ dialkoxyalkyl; C₃-C₁₂ dialkylthioalkyl; C₃-C₁₂ dialkylthioalkoxy; C₃-C₁₂ dialkoxyalkoxy; C₂-C₆ haloalkoxyhaloalkoxy; C₃-C₁₀ alkoxyalkoxyalkyl; C₂-C₆ alkenyl; C₂-C₆ haloalkenyl; C₂-C₆ alkenyloxy; C₂-C₆ haloalkenyloxy; C₃-C₈ alkenyloxyalkoxy; C₃-C₈ haloalkenyloxyalkoxy; C₂-C₆ alkynyl; C₂-C₆ haloalkynyl; C₂-C₆ alkynyloxy; C₂-C₆ haloalkynyloxy; C₃-C₈ alkynyloxyalkoxy; C₃-C₈ haloalkynyloxyalkoxy; C₃-C₁₂ acylaminoalkoxy; C₂-C₈ alkoxyiminoalkyl; C₂-C₈ haloalkoxyiminoalkyl; C₃-C₈ alkenyloxyiminoalkyl; C₃-C₈ haloalkenyloxyiminoalkyl;

Application Number: 10/573,052

Examiner: HAVLIN, ROBERT H

C_3 - C_8 alkynyloxyiminoalkyl; C_3 - C_8 haloalkynyloxyiminoalkyl; C_5 - C_{10} alkoxyalkynyloxy; C_6 - C_{12} cycloalkylideneiminoalkyl; C_6 - C_{12} dialkylideneiminoalkyl; aryl optionally substituted; $-S(O)_mR_1$; $-OS(O)_tR_1$; $-SO_2NR_2R_3$; $-CO_2R_4$; $-COR_5$; $-CONR_6R_7$; $-CSNR_8R_9$; $-NR_{10}R_{11}$; $-NR_{12}COR_{13}$; $-NR_{14}CO_2R_{15}$; $-NR_{16}CONR_{17}R_{18}$; $-PO(R_{19})_2$; $-Z_2(CR_{34}R_{35})_p(C=Y)T$; $-Z_3(CR_{36}R_{37})_v(CR_{38}R_{39}=CR_{40}R_{41})(C=Y)T$;

Z , Z_1 , $Z_2=O$, $S(O)_t$;

$Y=O$, S ;

r is equal to 0, 1 or 2;

p , q are equal to 1, 2, 3 or 4;

v is equal to 0 or 1;

$Z_3=O$, S or a direct bond;

T represents: a hydrogen atom; a Z_4R_{42} group; a $-NR_{43}R_{44}$ group; an aryl group or a heterocyclic group selected from triazolyl; triazolonyl; pyrazolyl; imidazolyl; imidazolidinonyl; tetrazolyl; tetrazolonyl; pyrrolyl; pyrrolidinyl; pyrrolidinonyl; pyridyl; pyrimidinyl; piperidinyl; piperidinonyl; piperazinyl; morpholinyl; said aryl and heterocyclic groups optionally substituted by one or more substituents selected from halogen; NO_2 ; OH ; CN ; CHO ; linear or branched C_1 - C_6 alkyl; linear or branched C_1 - C_6 haloalkyl; C_3 - C_6 cycloalkyl; C_5 - C_6 cycloalkenyl; linear or branched C_1 - C_6 alkoxy; linear or branched C_1 - C_6 haloalkoxy; C_3 - C_6 cyanoalkyl; C_2 - C_6 alkoxyalkyl; C_2 - C_6 alkylthioalkyl; C_2 - C_6 alkylsulfinylalkyl; C_2 - C_6 alkylsulfonylalkyl;

Application Number: 10/573,052
Examiner: HAVLIN, ROBERT H

C₂-C₆ haloalkoxyalkyl; C₂-C₆ haloalkylthioalkyl; C₂-C₆ haloalkylsulfinylalkyl; C₂-C₆ haloalkylsulfonylalkyl; —S(O)_mR₁;

Z₄=O, S or a direct bond;

R₄₃ and R₄₄, the same or different, represent: a hydrogen atom; a linear or branched C₁-C₆ alkyl group in turn optionally substituted with halogen atoms; a C₃-C₆ alkenyl group in turn optionally substituted with halogen atoms; a Q₇ group; an arylalkyl group optionally substituted by one or more substituents selected from halogen; NO₂; CN; CHO; linear or branched C₁-C₆ alkyl; linear or branched C₁-C₆ haloalkyl; linear or branched C₁-C₆ alkoxy; linear or branched C₁-C₆ haloalkoxy; C₁-C₆ alkylsulfonyl; C₂-C₆ alkoxy-carbonyl; or they jointly represent a C₂-C₅ alkylene chain;

D represents: a heterocyclic group of the heteroaryl or heterocyclic type, in all the above cases the heterocycle can be mono or polycyclic and can be connected to the rest of the structure either through one of its carbon atoms or, when possible, through one of its nitrogen atoms; ~~or it represents a mono or polycyclic aryl group, in this latter case, the group can also be partially saturated;~~

R_x represents a substituent selected from: hydrogen; halogen; NO₂; CN; CHO; OH; linear or branched C₁-C₆ alkyl; linear or branched C₁-C₆ haloalkyl; linear or branched C₁-C₆ alkoxy; linear or branched C₁-C₆ haloalkoxy; C₁-C₆ cyanoalkyl; C₂-C₆ alkoxyalkyl; C₂-C₆ alkylthioalkyl; C₂-C₆ alkylsulfinylalkyl; C₂-C₆ alkylsulfonylalkyl; C₂-C₆ haloalkoxyalkyl; C₂-C₆ haloalkylthioalkyl; C₂-C₆ haloalkylsulfinylalkyl; C₂-C₆ haloalkylsulfonylalkyl; C₂-C₆ alkoxyalkoxy or C₂-C₆ haloalkoxyalkoxy optionally substituted with a group selected from C₁-C₄ alkoxy or C₁-C₄ haloalkoxy; C₂-C₆ haloalkylthioalkoxy; C₃-C₁₂ dialkoxyalkyl; C₃-C₁₂ dialkylthioalkyl; C₃-C₁₂ dialkylthioalkoxy; C₃-C₁₂ dialkoxyalkoxy; C₂-C₆ haloalkoxyhaloalkoxy; C₃-C₁₀ alkoxyalkoxyalkyl; C₂-C₆ alkenyl; C₂-C₆ haloalkenyl; C₂-C₆ alkenyloxy; C₂-C₆

Application Number: 10/573,052
Examiner: HAVLIN, ROBERT H

haloalkenyloxy; C₃-C₈ alkenyloxyalkoxyl; C₃-C₈ haloalkenyloxyalkoxyl; C₂-C₆ alkynyl; C₂-C₆ haloalkynyl; C₂-C₆ alkynyloxy; C₂-C₆ haloalkynyloxy; C₃-C₈ alkynyloxyalkoxyl; C₃-C₈ haloalkynyloxyalkoxyl; C₃-C₁₂ acylaminoalkoxy; C₂-C₈ alkoxyiminoalkyl; C₂-C₈ haloalkoxyiminoalkyl; C₃-C₈ alkenyloxyiminoalkyl; C₃-C₈ haloalkenyloxyiminoalkyl; C₃-C₈ alkynyloxyiminoalkyl; C₃-C₈ haloalkynyloxyiminoalkyl; C₅-C₁₀ alkoxyalkynyloxy; C₆-C₁₂ cycloalkylideneiminoalkyl; C₆-C₁₂ dialkylideneiminoalkyl; —S(O)_mR₁; —OS(O)_nR₁; —SO₂NR₂R₃; —CO₂R₄; —COR₅; —CONR₆R₇; —CSNR₈R₉; —NR₁₀R₁₁; —NR₁₂COR₁₃; —NR₁₄CO₂R₁₅; —NR₁₆CONR₁₇R₁₈; —PO(R₁₉)₂; —Q; —ZQ₁; —(CR₂₀R₂₁)_pQ₂; —Z(CR₂₂R₂₃)_pQ₃; —(CR₂₄R₂₅)_pZQ₄; —(CR₂₆R₂₇)_pZ(CR₂₈R₂₉)_qQ₅; —(CR₃₀R₃₁)_pZ(CR₃₂R₃₃)_qZ₁Q₆; —Z₂(CR₃₄R₃₅)_p(C=Y)T; —Z₃(CR₃₆R₃₇)_v(CR₃₈R₃₉=CR₄₀R₄₁)(C=Y)T; if several R_x groups are present, these can be the same or different;

n=1-9;

excluding the following compounds having general formula (I) wherein A, B and R have the following meanings: A=4-chlorophenyl, B=1-methylimidazol-2-yl, R=H; A=4-nitrophenyl, B=1-(2-hydroxyethyl)-5-nitroimidazol-2-yl, R=H; A=phenyl, B=1H-benzimidazol-2-yl, R=C₂H₅; A=phenyl, B=4H-1-benzopyran-4-yl, R=CH₃; A=4-nitrophenyl, B=3-(4-methylphenyl)-1,2,4-oxadiazol-5-yl, R=CH₃; A=phenyl, B=4-chloro-2,5-dioxo-2,5-dihydro-1H-pyrrol-3-yl, R=CH₃; A=phenyl, B=2-acetyl-1,2,3,4-tetrahydroisoquinolin-1-yl, R=C₂H₅; A=2-hydroxy-4-methoxyphenyl, B=thiazol-4-yl, R=CH₃; A=phenyl, B=2,5-diphenyl-1,3-oxathiol-2-yl, R=CH₃; A=4-nitrophenyl, B=4,6-bis(dimethylamino)-1,3,5-triazin-2-yl, R=CH₃; A=phenyl, B=furan-2-yl, R=CH₃; A=phenyl, B=1,3-dithian-2-yl, R=CH₃; A=phenyl, B=4-chlorothien-2-yl, R=H; A=phenyl, B=5-bromothien-2-yl, R=H; A=phenyl, B=5-methylthien-2-yl, R=H; A=phenyl, B=6-phenylpyrazin-2-yl, R=CH₃; A=phenyl, B=3,4-dihydro-3-methyl-2-oxo-2H-1,3-benzo-oxazin-4-yl, R=CH₃; A=phenyl, B=benzothiazol-2-yl, R=CH₃; A=2-hydroxy-4-methoxyphenyl, B=2-phenylthiazol-4-

Application Number: 10/573,052

Examiner: HAVLIN, ROBERT H

yl, R=CH₃; A=phenyl, B=5-methylfuran-2-yl, R=CH₃; A=phenyl, B=3-(4-methylphenyl)-1,2,4-oxadiazol-5-yl, R=CH₃; A=phenyl, B=tetrahydrofuran-2-yl, R=CH₃; A=phenyl, B=2,3-dihydro-3-hydroxy-2-oxo-1H-indol-3-yl, R=CH₃; A=phenyl, B=4-chloro-1-methyl-2,5-dioxo-2,5-dihydro-pyrrol-3-yl, R=CH₃; A=phenyl, B=2,2-trifluoroacetyl-1,2,3,4-tetrahydroiso-quinolin-1-yl, R=C₂H₅; A=phenyl, B=2-acetyl-1,2,3,4-tetrahydroisoquinolin-1-yl, R=CH₃; A=4-nitrophenyl, B=2-(4-nitrophenyl)-3,5,6-triphenyl-pyridin-4-yl, R=CH₃; A=phenyl, B=4,6-bis(dimethylamino)-1,3,5-triazin-2-yl, R=CH₃; A=phenyl, B=4-methoxy-5-tert-butoxycarbonyl-1H-pyrro-2-yl, R=CH₃; A=phenyl, B=1,3-dihydro-3-oxo-isobenzofuran-1-yl, R=CH₃; A=phenyl, B=(5-methoxycarbonylmethyl)thien-2-yl, R=H; A=phenyl, B=4-methylthien-2-yl, R=H; A=phenyl, B=1,4-dihydro-1-methyl-3-nitroquinolin-4-yl, R=H; A=phenyl, B=thien-2-yl, R=H; A=phenyl, B=6-methylbenzothiazol-2-yl, R=CH₃; A=2-methoxycarbonylphenyl, B=phenyl, R=CH₃; A=2-benzyloxy-4-methoxyphenyl, B=2,3,4-trimethoxyphenyl, R=H; A=4,5-dimethoxy-2-nitrophenyl, B=3,4-dimethoxyphenyl, R=H; A=2-nitrophenyl, B=phenyl, R=H; A=2,4,5-trimethoxyphenyl, B=4-methoxyphenyl, R=H; A=4-bromophenyl, B=phenyl, R=H; A=4-bromophenyl, B=2,4-dinitrophenyl, R=CH₃; A=4-chlorophenyl, B=phenyl, R=H; A=2,4-dibenzyloxy-5-methoxyphenyl, B=1,3-benzodioxol-5-yl, R=H; A=2,4-dibenzyloxyphenyl, B=1,3-benzodioxol-5-yl, R=H; A=4-methoxyphenyl, B=2-carboxyphenyl, R=H; A=4-methylphenyl, B=2,4-dinitrophenyl, R=CH₃; A=4-hydroxy-3-methoxyphenyl, B=4-hydroxy-3-methoxyphenyl, R=H; A=2-nitrophenyl, B=4-methylphenyl, R=H; A=4-chlorophenyl, B=4-chlorophenyl, R=H; A=2,4-diacetoxyphenyl, B=phenyl, R=CH₃; A=3-methoxyphenyl, B=phenyl, R=C₂H₅; A=4-nitrophenyl, B=phenyl, R=H; A=2-nitrophenyl, B=4-n-butoxyphenyl, R=H; A=2-nitro-4-chlorophenyl, B=4-methylphenyl, R=H; A=phenyl, B=8-carboxynaphthalenyl, R=CH₃; A=2,5-dimethoxyphenyl, B=2-hydroxyphenyl, R=C₂H₅; A=4-fluorophenyl, B=2-nitro-4-trifluoromethylphenyl, R=CH₃;

Application Number: 10/573,052
Examiner: HAVLIN, ROBERT H

A=3-chloro-4-methylphenyl, B=2,4-dinitrophenyl, R=CH₃; A=2-nitro-4-chlorophenyl, B=phenyl, R=H; A=4,5-dimethoxy-2-nitrophenyl, B=4-methylphenyl, R=H; A=2-carboxy-6-nitrophenyl, B=phenyl, R=CH₃; A=2,4,5-trimethoxyphenyl, B=3-methoxyphenyl, R=H; A=phenyl, B=4-bromophenyl, R=H; A=6-benzyloxy-2,3,4-trimethoxyphenyl, B=1,3-benzodioxol-5-yl, R=H; A=4,5-dimethoxy-2-nitrophenyl, B=4-methoxyphenyl, R=H; A=4,5-dimethoxy-2-nitrophenyl, B=4-chlorophenyl, R=H; A=2,4-dibenzyloxyphenyl, B=4-methoxyphenyl, R=H; A=4-methylphenyl, B=4-methylphenyl, R=H; A=4-dimethylaminophenyl, B=phenyl, R=H; A=4-methoxyphenyl, B=phenyl, R=H; A=4,5-dichloro-2-nitrophenyl, B=4-chlorophenyl, R=H; A=2-nitrophenyl, B=4-methoxyphenyl, R=H; A=phenyl, B=2,5-dimethoxycarbonylaminophenyl, R=CH₃; A=4-hydroxy-4-methoxyphenyl, B=2-methoxyphenyl, R=H; A=phenyl, B=4-methylphenyl, R=H; A=2-nitrophenyl, B=4-ethoxyphenyl, R=H; A=2-nitro-4-chlorophenyl, B=4-methoxyphenyl, R=H; A=4-chlorophenyl, B=phenyl, R=C₂H₅; A=2-tert-butoxycarbonyl-5-ethyl-4-methoxyphenyl, B=2,3-dihydro-7-methyl-1,4-benzodioxin-6-yl, R=t-butyl; A=phenyl, B=2-nitro-4-trifluoromethylphenyl, R=CH₃; A=3,4-dichlorophenyl, B=2,4-dinitrophenyl, R=CH₃; A=4,5-dichloro-2-nitrophenyl, B=4-methoxyphenyl, R=H; A=4-methoxy-2-nitrophenyl, B=4-methylphenyl, R=H; A=phenyl, B=anthracene-9-yl, R=CH₃; A=phenyl, B=4-methoxyphenyl, R=H; A=2,4,5-trimethoxyphenyl, B=phenyl, R=H; A=2,4-diacetoxyphenyl, B=2,4,5-trimethoxyphenyl, R=CH₃; A=2-hydroxyphenyl, B=phenyl, R=H; A=4-methoxy-2-nitrophenyl, B=phenyl, R=H; A=4,5-dimethoxy-2-nitrophenyl, B=phenyl, R=H; A=2,4-dinitrophenyl, B=phenyl, R=CH₃; A=phenyl, B=phenyl, R=CH₃; A=phenyl, B=4-dimethylaminophenyl, R=H; A=phenyl, B=2,4-dinitrophenyl, R=CH₃; A=4,5-dichloro-2-nitrophenyl, B=4-methylphenyl, R=H; A=4-bromophenyl, B=phenyl, R=CH₃; A=2-(4-methylphenylsulfonyloxy)-6-methoxyphenyl, B=phenyl, R=H; A=4-methylsulfonylphenyl, B=2-methoxyphenyl, R=CH₃; A=4-methoxyphenyl, B=4-methoxyphenyl, R=CH₃;

Application Number: 10/573,052

Examiner: HAVLIN, ROBERT H

A=phenyl, B=4-chlorophenyl, R=H; A=2-nitrophenyl, B=4-nitrophenyl, R=H;
A=phenyl, B=phenyl, R=H; A=2,4-dimethoxyphenyl, B=4-methoxyphenyl, R=H;
A=2-nitrophenyl, B=4-n-hexyloxyphenyl, R=H; A=4-methoxy-2-nitrophenyl, B=4-methoxyphenyl, R=H; A=phenyl, B=9-carboxyphenanthren-10-yl, R=CH₃;
A=phenyl, B=phenyl, R=CH₃; A=3,4-dimethoxyphenyl, B=3,4-dimethoxyphenyl, R=H; A=2,4-dimethoxyphenyl, B=phenyl, R=H; A=phenyl, B=2-hydroxy-3,4,6-trimethyl-5-methoxyphenyl, R=CH₃; A=4-chloro-2-nitrophenyl, B=4-chlorophenyl, R=H; A=2-nitrophenyl, B=4-chlorophenyl, R=H; A=2,4,5-trimethoxyphenyl, B=3,4-dimethoxyphenyl, R=H; A=4-chlorophenyl, B=2,4-dinitrophenyl, R=CH₃;
A=4,5-dichloro-2-nitrophenyl, B=phenyl, R=H; A=4-methoxyphenyl, B=phenyl, R=CH₃; A=2,4-dibenzyloxyphenyl, B=3,4-dimethoxyphenyl, R=H; A=4-methylthiophenyl, B=4-methoxyphenyl, R=CH₃; A=phenyl, B=phenyl, R=C₂H₅;
A=4-methoxyphenyl, B=2,4-dinitrophenyl, R=CH₃; A=2-nitrophenyl, B=3-chlorophenyl, R=H; A=2-nitrophenyl, B=3,4-dimethoxyphenyl, R=H;
A=4-methoxyphenyl, B=4-methoxyphenyl, R=H; A=2-hydroxyphenyl, B=4-methoxyphenyl, R=H; A=phenyl, B=2,5-bis(phenacylamino)phenyl, R=CH₃;
A=4-nitrophenyl, B=4-methylphenyl, R=H; A=2-nitrophenyl, B=4-n-pentyloxyphenyl, R=H; A=4-methoxy-2-nitrophenyl, B=4-chlorophenyl, R=H;
A=phenyl, B=2-carboxynaphthalen-1-yl, R=CH₃.

18 (Canceled):